

### **THE CLAIMS**

Claims 1-31 are pending in the instant application. Claims 2-10, 12-20, and 22-31 depend from independent claims 1, 11, and 21, respectively. The Applicant requests reconsideration of the claims in view of the following remarks.

Listing of claims:

1. (Previously Presented) A method for providing media in a communication network, the method comprising:

locating media stored locally at least at a first geographic location in the communication network;

organizing, at said first geographic location, said located media and at least a portion of television broadcast media into channels; and

transparently transferring from said first geographic location, at least a portion of said organized channels to at least a second geographic location within the communication network.

2. (Previously Presented) The method according to claim 1, comprising displaying said organized channels in at least one constructed display.

3. (Original) The method according to claim 2, wherein said constructed display is at least one of a media guide, device guide and a channel guide.

4. (Original) The method according to claim 2, wherein said constructed display is formatted as a graphical user interface.

5. (Previously Presented) The method according to claim 2, wherein said constructed display is displayed at one or both of said first geographic location and/or said second geographic location.

6. (Previously Presented) The method according to claim 5, comprising presenting representations of locally stored media at said second geographic location and representations of said transparently transferred media in a single constructed display.

7. (Previously Presented) The method according to claim 6, comprising integrating representations of said television broadcast media in said presented single constructed display.

8. (Previously Presented) The method according to claim 1, comprising transparently transferring media corresponding to at least a selected portion of said organized channels to said at least said second geographic location.

9. (Previously Presented) The method according to claim 1, comprising updating an existing constructed display at said second geographic location to reflect said transparently transferred at least a portion of said organized channels.

10. (Previously Presented) The method according to claim 1, comprising authorizing said transparent transfer of said at least a portion of said organized channels to at least said second geographic location.

11. (Previously Presented) A machine-readable storage having stored thereon, a computer program having at least one code section for providing media in a communication network, the at least one code section being executable by a machine for causing the machine to perform steps comprising:

locating media stored locally at least at a first geographic location in the communication network;

organizing, at said first geographic location, said located media and at least a portion of television broadcast media into channels; and

transparently transferring from said first geographic location, at least a portion of said organized channels to at least a second geographic location within the communication network.

12. (Previously Presented) The machine-readable storage according to claim 11, comprising code that causes said organized channels to be displayed in at least one constructed display.

13. (Original) The machine-readable storage according to claim 12, wherein said constructed display is at least one of a media guide, device guide and a channel guide.

14. (Original) The machine-readable storage according to claim 12, wherein said constructed display is formatted as a graphical user interface.

15. (Previously Presented) The machine-readable storage according to claim 12, wherein said constructed display is displayed at one or both of said first geographic location and/or said second geographic location.

16. (Previously Presented) The machine-readable storage according to claim 15, comprising code for presenting representations of locally stored media at said second

geographic location and representations of said transparently transferred media in a single constructed display.

17. (Previously Presented) The machine-readable storage according to claim 16, comprising code for integrating representations of said television broadcast media in said presented single constructed display.

18. (Previously Presented) The machine-readable storage according to claim 11, comprising code for transparently transferring media corresponding to at least a selected portion of said organized channels to said at least said second geographic location.

19. (Previously Presented) The machine-readable storage according to claim 11, comprising code for updating an existing constructed display at said second geographic location to reflect said transparently transferred at least a portion of said organized channels.

20. (Previously Presented) The machine-readable storage according to claim 11, comprising code for authorizing said transparent transfer of said at least a portion of said organized channels to at least said second geographic location.

21. (Previously Presented) A system for providing media in a communication network, the system comprising:

at least one processor that locates media stored locally at least at a first geographic location in the communication network;

said at least one processor organizes, at said first geographic location, said located media and at least a portion of television broadcast media into channels; and

said at least one processor transparently transfers from said first geographic location, at least a portion of said organized channels to at least a second geographic location within the communication network.

22. (Original) The system according to claim 21, wherein said at least one processor caused said organized channels to be displayed in at least one constructed display.

23. (Original) The system according to claim 22, wherein said constructed display is at least one of a media guide, device guide and a channel guide.

24. (Original) The system according to claim 22, wherein said constructed display is formatted as a graphical user interface.

25. (Previously Presented) The system according to claim 22, wherein said constructed display is displayed at one or both of said first geographic location and/or said second geographic location.

26. (Previously Presented) The system according to claim 25, wherein said at least one processor presents representations of locally stored media at said second geographic location and representations of said transparently transferred media in a single constructed display.

27. (Previously Presented) The system according to claim 26, comprising integrating representations of said television broadcast media in said presented single constructed display.

28. (Previously Presented) The system according to claim 21, wherein said at least one processor transparently transfers media corresponding to at least a selected portion of said organized channels to said at least said second geographic location.

29. (Previously Presented) The system according to claim 21, wherein said at least one processor updates an existing constructed display at said second geographic location to reflect said transparently transferred at least a portion of said organized channels.

30. (Previously Presented) The system according to claim 21, wherein said at least one processor receives authorization for said transparent transfer of said at least a portion of said organized channels to at least said second geographic location.

31. (Original) The system according to claim 21, wherein said at least one processor is at least one of a media processing system processor, a media management system processor, a computer processor, a media exchange software processor and a media peripheral processor.